

DDC SPC structure



1 UV Coating

Aspen NEW & Apex LUX's UV Coating is a first layer that protects the surface from stains, resists UV rays and ensures that the floor does not fade after a long period of sunlight exposure.

3 Decor Film

Aspen NEW & Apex LUX's decor film is a thin PVC film for printing decorative layers of different color patterns. The printed pattern has a high degree of realistic look.

5 Foam Underlayment

Aspen NEW & Apex LUX's Foam Underlayment has the effects of buffering, shock absorption, water resistance and sound absorption. It can reduce the noise and vibration of the room when walking.

2 Wear Layer

Aspen NEW & Apex LUX's wear Layer provides protection against floor abrasion, this coating is waterproof, stain and scratch resistant, embossed to provide texture to the floor.

4 Core Layer

Aspen NEW & Apex LUX's core layer is the thickest and hardest layer. The stone-plastic compound prevents expansion and contraction caused by temperature and humidity, keeping the floor in good condition and durable for a long time.

Why choose SPC flooring?

HOW DO YOU INSTALL SPC FLOORING?

WITH A SIMPLE CLICK!

SPC planks join together without the need for adhesives or other external elements. Their ingenious tongue and groove locking system allows them to fit together like a jigsaw. Thanks to this adhesive-free click system, SPC flooring can be installed on practically any surface (cement, wood, tiles, ceramic, etc.) without the need to fix it to the existing floor.

Prior to installation, it's essential to install an underlay to protect the floor from moisture and improve insulation, as well as dampening noise and correcting any minor floor levelling irregularities.

SPC floors offer many advantages over other floors due to their installation system, easy maintenance, value for money, wide range of designs and textures, etc. Check it out:

	PARQUET	SPC FLOORS
INSTALLATION	⊖	⊕
MAINTENANCE	⊖	⊕
DESIGN	⊕	⊕
COMFORT	⊕	⊕
STRENGTH	⊖	⊕
SUSTAINABILITY	⊕	⊕
VALUE FOR MONEY	⊖	⊕

Urban Nature



AN5501 Queens

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77



AN5502 Tempest

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77

A promise you can experience
with all your senses



Cosy Tranquillity



AN5503 Twilight Mist

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77

Serene Harmony

AN5504 Staten Island

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77



Relaxing And Healing

AN5506 Sliver Moon

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77





AN5507 Grapevine

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77

AN5508 Lewisville

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77





AN5509 Whyte Ridge

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77

AN5510 White Rock

Dimensions	48"x7"
Thickness	5.5mm
Edge Profile	Micro Bevel
Finish	Antique Wood Texture
Pre-attached Pad	1.5mm IXPE
Sq.ft./Carton	23.77

